


Material Safety Data Sheet

NFPA	HMIS	WHMIS	TDG	DOT								
	<table border="1"> <tr><td>Health</td><td>1</td></tr> <tr><td>Flammability</td><td>0</td></tr> <tr><td>Physical hazards</td><td>0</td></tr> <tr><td>Suggested PPE</td><td>E</td></tr> </table>	Health	1	Flammability	0	Physical hazards	0	Suggested PPE	E			
Health	1											
Flammability	0											
Physical hazards	0											
Suggested PPE	E											

1 . Product and Company Identification

Product name 5187011 Boradust Insecticide			
Synonym Boric acid dust	MSDS prepared by the Environment, Health & Safety Department on: 1/14/2016.		
Material uses Insecticide	Version 1.02		
MSDS Number PCP #19480	<u>In Case of Emergency</u>		
	Transportation: 1-800-792-8311 Medical: 1-877-615-0015		
Manufacturer Agrium Advanced Technologies, Inc. 2915 Rocky Mountain Avenue, Suite 400 Loveland, CO. 80538	For more information on Agrium AT or our products, please go to: http://www.agriumat.com or contact us at Toll-Free:800-461-6471		

2 . Hazards Identification

Physical state	Solid.
OSHA/HCS status	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
<u>Potential acute health effects</u>	
Inhalation	May irritate the respiratory tract if inhaled.
Ingestion	May be harmful if swallowed.
Skin	Slightly irritating to the skin.
Eyes	Slightly irritating to the eyes.
<u>Potential chronic health effects</u>	
Chronic effects	Contains material that may cause target organ damage, based on animal data.
Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.
Target organs	Contains material which may cause damage to the following organs: upper respiratory tract.
<u>Over-exposure signs/symptoms</u>	
Inhalation	No specific data.
Ingestion	No specific data.

2 . Hazards Identification

Skin	Adverse symptoms may include the following: irritation redness
Eyes	Adverse symptoms may include the following: irritation watering redness
Medical conditions aggravated by over-exposure	Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.
See toxicological information (Section 11)	

3 . Composition / Information on Ingredients

United States

<u>Name</u>	<u>CAS number</u>	<u>%</u>
Boric acid	10043-35-3	99.9

Canada

<u>Name</u>	<u>CAS number</u>	<u>%</u>
Boric acid	10043-35-3	99.9

Mexico

<u>Name</u>	<u>CAS number</u>	<u>UN number</u>	<u>%</u>	<u>IDLH</u>	<u>H</u>	<u>E</u>	<u>R</u>	<u>Special</u>
Boric acid	10043-35-3	Not available.	99.9	-	1	0	0	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4 . First Aid Measures

Eye contact	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if irritation occurs.
Skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.
Inhalation	If inhalation occurs, remove individual(s) to fresh air. Loosen restrictive clothing items if necessary. If individual has irregular or difficulty breathing or is under respiratory arrest seek medical attention immediately. If other conditions or symptoms develop contact a physician.
Ingestion	If ingestion occurs, rinse mouth with copious amounts of water. Do Not induce vomiting unless directed to do so by trained medical personnel. Do Not give anything by mouth to unconscious individuals. Seek immediate medical attention.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
Notes to physician	No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

4 . First Aid Measures

5 . Fire-fighting Measures

Flammability of the product	No specific fire or explosion hazard.
<u>Extinguishing media</u>	
Suitable	Use an extinguishing agent suitable for the surrounding fire.
Not suitable	None known.
Special exposure hazards	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Hazardous thermal decomposition products	No specific data.
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6 . Accidental Release Measures

Personal precautions	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
<u>Methods for cleaning up</u>	
Small spill	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7 . Handling and Storage

Handling	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
-----------------	---

7 . Handling and Storage

Storage Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep out of reach of children.

8 . Exposure Controls / Personal Protection

United States

Ingredient	Exposure limits
Boric acid	<p>ACGIH TLV (United States, 2/2010). TWA: 2 mg/m³ 8 hour(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract. STEL: 6 mg/m³ 15 minute(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.</p>

Canada

Occupational exposure limits		TWA (8 hours)			STEL (15 mins)			Ceiling			
Ingredient	List name	ppm	mg/m ³	Other	ppm	mg/m ³	Other	ppm	mg/m ³	Other	Notations
Boric acid	US ACGIH 2/2010	-	-	2	-	6	-	-	-	-	[a]
	BC 9/2010	-	-	2	-	6	-	-	-	-	[b]
	ON 7/2010	-	-	2	-	6	-	-	-	-	[a]

Form: [a]Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract. [b]Inhalable

Mexico

Ingredient	Exposure limits
Boric acid	<p>ACGIH TLV (United States, 2/2010). TWA: 2 mg/m³ 8 hour(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract. STEL: 6 mg/m³ 15 minute(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM-TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.</p>

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
Engineering measures	No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

8 . Exposure Controls / Personal Protection

Personal protection

Respiratory	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eyes	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
Skin	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Personal protective equipment (Pictograms)



Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9 . Physical and Chemical Properties

Physical state	Solid.
Boiling/condensation point	300°C (572°F)
Melting/freezing point	169°C (336.2°F)
VOC	0 % (w/w)

10 . Stability and Reactivity

Chemical stability	The product is stable.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
Hazardous polymerization	Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid	No specific data.
Materials to avoid	No specific data.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological Information

United States

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
5187011 Boradust Insecticide	LD50 Oral	Rat	2660 mg/kg	-

Product/ingredient name	Result	Species	Score	Exposure	Observation
Boric acid	Skin - Mild irritant	Human	-	-	-

Classification

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
Boric acid	A4	-	-	-	-	-

Canada

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
5187011 Boradust Insecticide	LD50 Oral	Rat	2660 mg/kg	-

Product/ingredient name	Result	Species	Score	Exposure	Observation
Boric acid	Skin - Mild irritant	Human	-	-	-

Classification

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
Boric acid	A4	-	-	-	-	-

Mexico

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
5187011 Boradust Insecticide	LD50 Oral	Rat	2660 mg/kg	-

Product/ingredient name	Result	Score	Score	Exposure	Observation
Boric acid	Skin - Mild irritant	Human	-	-	-

11 . Toxicological Information

Classification

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
Boric acid	A4	-	-	-	-	-

12 . Ecological Information

Environmental effects No known significant effects or critical hazards.

United States

Aquatic ecotoxicity

Product/ingredient name	Test	Result	Species	Exposure
Boric acid	-	Acute EC50 777 ppm Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
	-	Acute EC50 226 ppm Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
	-	Acute EC50 133 ppm Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
	-	Acute LC50 137.99 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
	-	Acute LC50 92.83 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
	-	Acute LC50 89.07 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
	-	Acute LC50 84.28 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours

12 . Ecological Information

-	100 ppm Fresh water	trout,donaldson trout - Oncorhynchus mykiss	96 hours
-	Acute LC50 447000 ug/L Fresh water	Fish - Coho salmon,silver salmon - Oncorhynchus kisutch - Fry - 0.5 g	96 hours
-	Acute LC50 280000 ug/L Fresh water	Fish - Bonytail - Gila elegans - Swim-up - 11 to 18 days	96 hours
-	Acute LC50 279000 ug/L Fresh water	Fish - Colorado squawfish - Ptychocheilus lucius - Swim-up - 17 to 31 days	96 hours
-	Acute LC50 233000 ug/L Fresh water	Fish - Razorback sucker - Xyrauchen texanus - Swim-up - 10 to 17 days	96 hours
-	Acute LC50 226000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
-	Acute LC50 133000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - Neonate	48 hours
-	Acute LC50 125000 ug/L Fresh water	Fish - Flannelmouth sucker - Catostomus latipinnis - Larvae - 12 to 13 days	96 hours
-	Acute LC50 >100000 ug/L Fresh water	Fish - Colorado squawfish - Ptychocheilus lucius - Juvenile (Fledgling, Hatchling, Weanling) - 99 to 115 days - 0.4 to 1.1 g	96 hours

Canada

Aquatic ecotoxicity

Product/ingredient name	Test	Result	Species	Exposure
-------------------------	------	--------	---------	----------

12 . Ecological Information

Boric acid	-	Acute EC50 777 ppm Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
	-	Acute EC50 226 ppm Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
	-	Acute EC50 133 ppm Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
	-	Acute LC50 137.99 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
	-	Acute LC50 92.83 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
	-	Acute LC50 89.07 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
	-	Acute LC50 84.28 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
	-	Acute LC50 50 to 100 ppm Fresh water	Fish - Rainbow trout, donaldson trout - Oncorhynchus mykiss	96 hours
	-	Acute LC50 447000 ug/L Fresh water	Fish - Coho salmon, silver salmon - Oncorhynchus kisutch - Fry - 0.5 g	96 hours
	-	Acute LC50 280000 ug/L Fresh water	Fish - Bonytail - Gila elegans - Swim-up - 11 to 18 days	96 hours
	-	Acute LC50 279000 ug/L	Fish - Colorado squawfish -	96 hours

12 . Ecological Information

	Fresh water	Ptychocheilus lucius - Swim-up - 17 to 31 days	
-	Acute LC50 233000 ug/L Fresh water	Fish - Razorback sucker - Xyrauchen texanus - Swim-up - 10 to 17 days	96 hours
-	Acute LC50 226000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
-	Acute LC50 133000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - Neonate	48 hours
-	Acute LC50 125000 ug/L Fresh water	Fish - Flannelmouth sucker - Catostomus latipinnis - Larvae - 12 to 13 days	96 hours
-	Acute LC50 >100000 ug/L Fresh water	Fish - Colorado squawfish - Ptychocheilus lucius - Juvenile (Fledgling, Hatchling, Weanling) - 99 to 115 days - 0.4 to 1.1 g	96 hours

Mexico

Aquatic ecotoxicity

Product/ingredient name	Test	Result	Species	Exposure
Boric acid	-	Acute EC50 777 ppm Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
	-	Acute EC50 226 ppm Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
	-	Acute EC50 133 ppm Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
	-	Acute LC50 137.99 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
	-	Acute LC50 92.83 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile	48 hours

12 . Ecological Information

		(Fledgling, Hatchling, Weanling) - <24 hours	
-	Acute LC50 89.07 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
-	Acute LC50 84.28 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
-	Acute LC50 50 to 100 ppm Fresh water	Fish - Rainbow trout,donaldson trout - Oncorhynchus mykiss	96 hours
-	Acute LC50 447000 ug/L Fresh water	Fish - Coho salmon,silver salmon - Oncorhynchus kisutch - Fry - 0.5 g	96 hours
-	Acute LC50 280000 ug/L Fresh water	Fish - Bonytail - Gila elegans - Swim-up - 11 to 18 days	96 hours
-	Acute LC50 279000 ug/L Fresh water	Fish - Colorado squawfish - Ptychocheilus lucius - Swim-up - 17 to 31 days	96 hours
-	Acute LC50 233000 ug/L Fresh water	Fish - Razorback sucker - Xyrauchen texanus - Swim- up - 10 to 17 days	96 hours
-	Acute LC50 226000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
-	Acute LC50 133000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - Neonate	48 hours
-	Acute LC50 125000 ug/L Fresh water	Fish - Flannelmouth sucker - Catostomus latipinnis - Larvae - 12 to 13 days	96 hours
-	Acute LC50	Fish - Colorado	96 hours

12 . Ecological Information

>100000 ug/L
Fresh water

squawfish -
Ptychocheilus
lucius - Juvenile
(Fledgling,
Hatchling,
Weanling) - 99 to
115 days - 0.4 to
1.1 g

13 . Disposal Considerations

Waste disposal

The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: **HANDLING AND STORAGE** and Section 8: **EXPOSURE CONTROLS/PERSONAL PROTECTION** for additional handling information and protection of employees.

14 . Transport Information

Regulatory information	UN number	Shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
Mexico Classification	Not regulated.	-	-	-		-
PG* : Packing group						

15 . Regulatory Information

United States

HCS Classification Target organ effects

U.S. Federal regulations **TSCA 8(a) IUR Exempt/Partial exemption:** Not determined
United States inventory (TSCA 8b): All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found.

SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: Boric acid

SARA 311/312 MSDS distribution - chemical inventory - hazard identification:

Boric acid: Immediate (acute) health hazard, Delayed (chronic) health hazard

Clean Air Act (CAA) 112 accidental release prevention: No products were found.

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Not listed

Clean Air Act Section 602 Class I Substances Not listed

Clean Air Act Section 602 Class II Substances Not listed

DEA List I Chemicals (Precursor Chemicals) Not listed

DEA List II Chemicals (Essential Chemicals) Not listed

State regulations

Connecticut Carcinogen Reporting: None of the components are listed.

Connecticut Hazardous Material Survey: None of the components are listed.

Florida substances: None of the components are listed.

Illinois Chemical Safety Act: None of the components are listed.

Illinois Toxic Substances Disclosure to Employee Act: None of the components are listed.

Louisiana Reporting: None of the components are listed.

Louisiana Spill: None of the components are listed.

Massachusetts Spill: None of the components are listed.

Massachusetts Substances: None of the components are listed.

Michigan Critical Material: None of the components are listed.

Minnesota Hazardous Substances: None of the components are listed.

New Jersey Hazardous Substances: None of the components are listed.

New Jersey Spill: None of the components are listed.

New Jersey Toxic Catastrophe Prevention Act: None of the components are listed.

New York Acutely Hazardous Substances: None of the components are listed.

New York Toxic Chemical Release Reporting: None of the components are listed.

Pennsylvania RTK Hazardous Substances: None of the components are listed.

Rhode Island Hazardous Substances: None of the components are listed.

United States inventory (TSCA 8b) All components are listed or exempted.

Canada

WHMIS (Canada) Class D-2A: Material causing other toxic effects (Very toxic).

15 . Regulatory Information


Canadian lists
CEPA Toxic substances: None of the components are listed.
Canadian ARET: None of the components are listed.
Canadian NPRI: None of the components are listed.
Alberta Designated Substances: None of the components are listed.
Ontario Designated Substances: None of the components are listed.
Quebec Designated Substances: None of the components are listed.

Canada inventory All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Mexico

Classification



EU regulations

Hazard symbol or symbols



Risk phrases

R60- May impair fertility.
 R61- May cause harm to the unborn child.

Safety phrases

S53- Avoid exposure - obtain special instructions before use.
 S2- Keep out of the reach of children.

International regulations

International lists

Australia inventory (AICS): All components are listed or exempted.
China inventory (IECSC): All components are listed or exempted.
Japan inventory: All components are listed or exempted.
Korea inventory: All components are listed or exempted.
New Zealand Inventory of Chemicals (NZIoC): Not determined.
Philippines inventory (PICCS): Not determined.

Chemical Weapons Convention List Schedule I Chemicals

Not listed

Chemical Weapons Convention List Schedule II Chemicals

Not listed

Chemical Weapons Convention List Schedule III Chemicals

Not listed

16 . Other information

Label requirements

MAY CAUSE EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.


Hazardous Material Information System (U.S.A.)

Health	1
Flammability	0
Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material. Suggested protective clothing might not be adequate. Consult a specialist before handling this product.

National Fire Protection Association (U.S.A.)



Date of issue 1/14/2016.

Version 1.02

☑ Indicates information that has changed from previously issued version.

Notice to Reader:

The buyer assumes all risk in connection with the use of this material. The buyer assumes all responsibility for ensuring this material is used in a safe manner in compliance with applicable environmental, health and safety laws, policies and guidelines. Agrium Inc. assumes no responsibility or liability for the information supplied on this sheet, including any damages or injury caused thereby. Agrium Inc. does not warrant the fitness of this material for any particular use and assumes no responsibility for injury or damage caused directly or indirectly by or related to the use of the material. The information contained in this sheet is developed from what Agrium Inc. believes to be accurate and reliable sources, and is based on the opinions and facts available on the date of preparation.